

3ft/1m USB C to DisplayPort 1.2 Cable 4K 60Hz - USB-C to DisplayPort Adapter Cable HBR2 - USB Type-C DP Alt Mode to DP Monitor Video Cable - Works w/ Thunderbolt 3 - White

Product ID: CDP2DPMM1MW



This USB-C to DisplayPort cable lets you connect your Thunderbolt 3 or USB Type-C enabled device to a 4K DisplayPort monitor with just one cable, providing you with a convenient, clutter-free solution.

The USB C to DisplayPort adapter cable lets you harness the video capabilities that are built into your USB-C connection, to deliver the astonishing quality of Ultra HD to your 4K display and supporting resolutions up to 3840 x 2160.

Plus, the adapter is backward compatible with 1080p displays, which makes it a great accessory for home, office or other work environments.

At 3.3 ft. (1 m) in length, this monitor cable delivers a compact connection that eliminates excess adapters and cabling, ensuring a tidy, professional installation. For longer installations, we also offer a 6 ft. (1.8 m) (CDP2DPMM6W, CDP2DPMM6B) and a 9.8 ft. (3 m) (CDP2DPMM3MW, CDP2DPMM3MB) USB-C to DP cable, enabling you to choose the right cable length for your custom installation needs.

To ensure easy operation and installation, this USB C to DisplayPort cable works with both Windows and Mac computers and allows for plug-and-play installation, removing the need for any additional software or drivers.

CDP2DPMM1MW is backed by a 3-year StarTech.com warranty and free lifetime technical support.

Note: Your USB-C port must support DisplayPort over USB-C (DP Alt mode) in order to work with this adapter.

Certifications, Reports and Compatibility

Applications

· Connect USB-C or Thunderbolt 3 devices to DP displays



- Ideal for home office or hot desk environments
- Experience enhanced imaging with support for 4K 60Hz
- Deliver enriched presentations on the go

Features

• HIGH PERFORMANCE: White 3.3'/1m USB-C DP Alt Mode to DisplayPort 1.2 (21.6Gbps) Cable supports 4K 60Hz UHD (3840x2160), HBR2, 5.1ch Audio, HDCP 2.2/1.4 1080p & Thunderbolt 3 Compatible

• INTEGRATED VIDEO ADAPTER CABLE: USB C to DisplayPort 1.2 cable (male/male) reduces clutter, minimizes signal loss/failure points & has slim host & display connectors that fit in tight spaces

• HOST COMPATIBILITY: Dell XPS, Precision & Latitude, Lenovo ThinkPad X1 Carbon/Extreme, Microsoft Surface & Surface Pro, MacBook Pro, iPad Pro, TB3 MacBook Air, HP EliteBook, Spectre & ZBook

• DISPLAY COMPATIBILITY: USB-C to DP cable is tested & verified w/ full range of DP monitors incl brands Dell, Samsung, Asus, Acer & LG; white cable compliments LCD/LED displays w/ white housing/backing

• EASY TO USE: DisplayPort over USB-C converter cable w/ driverless setup works w/ any USB Type-C/Thunderbolt 3 (DP Alt Mode) device; compatible w/ macOS, iPadOS, Windows 10, Chrome OS, Android & Linux

Hardware		
	Warranty	3 Years
	Ports	1
	AV Input	USB-C
	AV Output	DisplayPort - 1.2
	Chipset ID	Controller: STM32F072CBU6 or VL103
Performance		
	Maximum Digital Resolutions	3840x2160 @ 60 Hz
	Supported Resolutions	1024x768
		1280x720 (High-definition 720p)
		1920x1080 (High-definition 1080p)
		1920x1200
		2560x1440
		2560x1600



		3840x2160 (Ultra HD 4K)
	Wide Screen Supported	Yes
	Audio Specifications	DisplayPort - 5.1 Channel Audio
Connector(s)	Connector A	USB-C (24 pin) DisplayPort Alt Mode
		DisplayPort (20 pin)
Special Notes / Requirements		
requirements	Note	Your USB-C equipped device must support video (DP Alt Mode) to work with this adapter.
Environmental		
	Operating Temperature	0C to 40C (32F to 104F)
	Storage Temperature	-40C to 80C (-40F to 158F)
	Humidity	20%-70%RH
Physical Characteristics		
	Color	White
	Cable Length	39.4 in [100.0 cm]
	Product Length	39.4 in [100.0 cm]
	Product Width	0.8 in [20.0 mm]
	Product Height	0.4 in [10.0 mm]
	Weight of Product	1.2 oz [34.0 g]
Packaging Information		
	Package Length	8.7 in [22.0 cm]
	Package Width	7.9 in [20.0 cm]
	Package Height	1.2 in [30.0 mm]
	Shipping (Package) Weight	1.4 oz [40.0 g]
	Weight	



What's in the Box

Included in Package

USB-C to DisplayPort adapter cable

*Product appearance and specifications are subject to change without notice.