

3 ft Mini DisplayPort to DVI Adapter Converter Cable - Mini DP to DVI 1920x1200 - White

#### Product ID: MDP2DVIMM3W



The MDP2DVIMM3W Mini DisplayPort to DVI Adapter Cable lets you directly connect your Mini DP video source (such as any of your MacBook or Microsoft Surface Pro devices with mDP) to a DVI monitor, projector, eliminating the expense of having to upgrade to a Mini DisplayPort-capable monitor.

The adapter cable is 3 feet (1 m) in length, and features male-to-male connectors, allowing you to connect your Mini DisplayPort source directly to a DVI display with no additional cabling required.

Compatible with Intel Thunderbolt, when connected directly to a supporting DisplayPort over Thunderbolt I/O port, the adapter supports resolutions up to 1920x1200 (WUXGA).

MDP2DVIMM3W is a passive adapter that requires a dual-mode DisplayPort port (DisplayPort++), meaning that DVI and HDMI signals can also be passed through the port.

Backed by a StarTech.com 3-year warranty and free lifetime technical support.

## Certifications, Reports and Compatibility

# **Applications**

- · Connect your existing DVI display device (monitor, projector) to a Mini DisplayPort output device
- Ideal for using your DVI monitor as a secondary display

### **Features**

• 1x Male Mini DisplayPort connector, 1x Male DVI connector



• Supports resolutions up to 1920x1200 (WUXGA) and HDTV resolutions up to 1080p

• Compatible with Intel Thunderbolt devices that are capable of outputting a DisplayPort signal

**Hardware** Warranty 3 Years Active or Passive Adapter Passive **AV Input** Mini DisplayPort - 1.2 **AV Output** DVI-D - Single-Link Audio No Chipset ID NXP - 3361 **Performance** Maximum Cable Length 36.0 in [91.5 cm] Maximum Digital 1920x1200 / 1080p Resolutions Wide Screen Supported Yes **Audio Specifications** DVI - No Audio Support **MTBF** 2,405,577 hours Connector(s) Connector A Mini-DisplayPort (20 pin) Connector B DVI-D (25 pin) Special Notes / Requirements System and Cable DP++ (DisplayPort++) port required from video card or video Requirements source for DVI and HDMI signal pass-through **Environmental** Operating Temperature 0C to 60C (32F to 140F) Storage Temperature 0C to 70C (32F to 158F) Humidity 40%-85%RH

**Physical** 



#### Characteristics

What's in the Box	Included in Package	Mini DisplayPort to DVI Adapter
	Shipping (Package) Weight	3.0 oz [86 g]
	Package Height	0.8 in [20 mm]
	Package Width	7.9 in [20 cm]
Information	Package Length	8.7 in [22 cm]
Packaging		
	Weight of Product	2.5 oz [71.2 g]
	Product Height	0.6 in [15 mm]
	Product Width	1.6 in [40 mm]
	Product Length	36.0 in [91.4 cm]
	Cable Length	36.0 in [91.5 cm]
Characteristics	Color	White

<sup>\*</sup>Product appearance and specifications are subject to change without notice.