


4 port PCI 1394a FireWire Adapter Card - 3 External 1 Internal

Product ID: PCI1394MP



This 4 Port (3 External/1 Internal) PCI 1394 FireWire Adapter Card lets you connect iPods, MP3 players, portable drives, digital camcorders and more to your desktop computer.

The FireWire adapter card supports hot-swapping, so you'll be able to plug, unplug, and swap your FireWire peripherals with ease.

Guaranteed to work with both PCs and Macs, the 4 port PCI FireWire Adapter Card is backed by StarTech.com's Lifetime Warranty and FREE LIFETIME tech support. Plus, the adapter provides both standard profile and low profile/half-height brackets for adapting to slimline or small form factor system applications.

Please Note: If you require digital video editing software, StarTech.com offers a complete FireWire kit with our PCI1394_4 card. This software is compatible with Windows operating systems only.

WHQL Certified - Designed to work with Microsoft Windows XP

Certifications, Reports and Compatibility

Applications

- · Add a high-speed FireWire port to a full or small form factor desktop without any FireWire ports
- Connect a digital camera to a desktop with a PCI slot to download photos and video
- Connect a external FireWire hard drive or optical drive to a PCI-enabled system

Features



- 3 external, 1 shared internal FireWire400 port, with supported data transfer rates up to 400 Mbps
- Compliant with IEEE 1394a 2000 as well as 1394-1995 standards
- Includes Low Profile installation bracket
- Plug-and-Play and hot-swap compatible

Hardware		
	Warranty	Lifetime
	Ports	3
	Interface	FireWire 400 (1394a)
	Bus Type	PCI (5 Volt)
	Card Type	Standard Profile (LP bracket incl.)
	Industry Standards	PCI 2.1
		IEEE 1394a
		OHCI
	Chipset ID	Texas Instruments - TSB12LV26
Performance	Maximum Data Transfer Rate	400 Mbps
Connector(s)		
	Connector Type(s)	PCI (5V, 32-bit)
	Internal Ports	FireWire 400 (6 pin, IEEE 1394a)
	External Ports	FireWire 400 (6 pin, IEEE 1394a)
Software		
	OS Compatibility	Windows 2000, XP, Vista, 7, 8, 8.1, 10, 11
		Windows Server 2003, 2008 R2, 2012, 2016, 20
		Mac OS X 10.x (tested up to 10.4)
		Linux 3.5.x to 4.11.x <i>LTS Versions only</i>
	Microsoft WHQL Certified	Yes



Physical Characteristics

Characteristics	Color	Green
	Material	Steel
	Product Length	4.8 in [12.3 cm]
	Product Width	0.7 in [18 mm]
	Product Height	3.1 in [80 mm]
	Weight of Product	1.9 oz [53 g]
Packaging Information		
	Package Length	5.7 in [14.5 cm]
	Package Width	6.9 in [17.5 cm]
	Package Height	1.2 in [31 mm]
	Shipping (Package) Weight	4.3 oz [122 g]
What's in the Box		
	Included in Package	PCI FireWire Card
		Low Profile Bracket
		Instruction Manual

^{*}Product appearance and specifications are subject to change without notice.