

## PCI Express Riser Card x8 Left Slot Adapter 1U with Flexible Cable

**Product ID:** PEX8RISERF



The PEX8RISERF x8 to x8 PCI Express Riser Card with flexible cable allows for installation of a x8/x4/x1 PCI Express (PCIe) card into a 1U rack mount or small form form factor chassis that would typically not allow cards to be mounted directly to the motherboard.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

### Certifications, Reports and Compatibility

### Applications

- Upgrade a rack mount chassis with additional IO capabilities, such as a storage controller, serial ports, USB, networking, etc.
- Add dedicated graphics capabilities to a rack mount chassis

### Features

- Designed to fit most 1U or larger server chassis' with riser card support
  - Shielded 7 cm flex cable
  - Complete pass-through design supports the latest PCI Express speeds
  - x8 PCI Express female connector accepts x8/x4/x1 cards
-

**Hardware**

Warranty 2 Years

Bus Type PCI Express

---

**Connector(s)**

Connector Type(s) PCI Express x8

PCI Express x8 Slot

---

**Software**

OS Compatibility Operating System independent

---

**Special Notes / Requirements**

System and Cable Requirements Rack mount server chassis with available x8 (or greater) PCI Express expansion slot

---

**Environmental**

Operating Temperature 0C to 60C (32F to 140F)

Storage Temperature 0C to 60C (32F to 140F)

Humidity 5~95% RH

---

**Physical Characteristics**

Cable Length 2.8 in [70 mm]

Product Length 7.0 in [17.9 cm]

Product Width 3.9 in [100.0 mm]

Product Height 0.6 in [15.0 mm]

Weight of Product 1.4 oz [39.0 g]

---

**Packaging Information**

Package Quantity 1

Package Length 6.7 in [17.0 cm]

Package Width 5.3 in [13.5 cm]

Package Height 1.0 in [25.0 mm]

Shipping (Package) 3.2 oz [92.0 g]



Weight

---

**What's in the Box**

Included in Package	PCI Express Riser Card
	Instruction Manual

---

***\*Product appearance and specifications are subject to change without notice.***

