

4 Port Black USB KVM Switch Kit with Cables and Audio

Product ID: SV411KUSB



The SV411KUSB 4 Port USB KVM Switch Kit with Audio and Cables lets you control up to four USB-enabled computers using a single keyboard, mouse and VGA monitor and offers both hotkey and top panel push-button operation for simple switching between connected computers.

Designed to integrate seamlessly into any environment, the USB KVM switch offers a small footprint design (roughly the size of a deck of playing cards) and draws power from the connected computers, so it doesn't require an external power supply.

A suitable solution for virtually any application, the USB KVM switch supports video resolutions of up to 2048 x 1536 as well as audio switching. The USB KVM switch includes four, 4ft 4-in-1 VGA and USB Host Cables, providing everything needed for quick installation to provide a complete, out-of-the-box KVM solution.

Delivering dependable and convenient control of multiple computers from a single peripheral station, the KVM switch is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications

- Control 4 USB-enabled computers using a single keyboard, mouse, and VGA monitor
- · Applicable for call centers, help desks, education environments, home gamers, video editing, and PC enthusiasts
- Great for PC test/burn-in computer control saving the desk space required for multiple monitors, keyboards and mice
- Multiple system control for single user workstations, increasing user productivity in the office



Features

• Cables (4 ft.) included

• Includes audio support for a complete switching solution

• Maximum resolution: 2048 x 1536

• Switching type: Hotkey, push-button

| Hardware | | |
|-------------|---------------------------------|--------------------|
| | Warranty | 2 Years |
| | Audio | Yes |
| | KVM Ports | 4 |
| | PC Interface | USB |
| | PC Video Type | VGA |
| | Number of Monitors Supported | 1 |
| | Rack-Mountable | No |
| | Cables Included | Yes |
| | Daisy-Chain | No |
| Performance | | |
| | On-Screen Display | No |
| | DVI Support | No |
| | IP Control | No |
| | Hot-Key Selection | Yes |
| | Maximum Analog Resolutions | 2048 x 1536 pixels |
| | Maximum Number of Users | 1 |

Push Button and Hotkeys

Connector(s)

Port Selection Support



Console Interface(s) 3.5 mm Mini-Jack (3 Position)

USB Type-A (4 pin) USB 2.0

VGA (15 pin, High Density D-Sub)

Host Connectors 3.5 mm Mini-Jack (3 Position)

VGA (15 pin, High Density D-Sub)

Software

OS Compatibility OS independent; No software or drivers required

Power

Power Source USB-Powered

Physical Characteristics

Color Black

Material Plastic

Cable Length 4.0 ft [1.2 m]

Product Width 3.7 in [95 mm]

Product Height 1.0 in [25 mm]

Product Depth 2.4 in [61 mm]

Weight of Product 6.7 oz [189 g]

Packaging Information

Package Length 8.3 in [21 cm]

Package Width 7.1 in [18 cm]

Package Height 5.7 in [14.5 cm]

Shipping (Package)

Weight

3.1 lb [1.4 kg]

What's in the Box

Included in Package 4 Port KVM Switch

4ft. VGA USB KVM Cable



| 4ft. | Audio | Cable | (3.5mm | speaker/ | /mic) |
|------|-------|-------|--------|----------|-------|
| | | | | | |

Driver CD

Instruction Manual

*Product appearance and specifications are subject to change without notice.