

8 Port 1U Rackmount DVI USB KVM Switch

Product ID: SV831DVIU



The SV831DVIU 8-Port 1U Rack Mount DVI USB KVM Switch lets you control up to 8 USB-connected computers (each with DVI or HDMI display output) from a single keyboard, mouse and monitor.

The KVM switch offers maximum control, allowing you to switch computers using hot-key commands or front panel push-buttons. Supporting digital resolutions up to 1920x1200 via DVI or HDMI connection (using DVI to HDMI adapter - see accessories), the KVM provides the high resolutions recommended for newer displays, allowing you to take full advantage of your monitor/screen capability.

A perfect addition to any server room or software test lab, this 8-port switch can be rack-mounted into 1U of cabinet space.

This product is TAA compliant and backed by a Startech.com 3-year warranty with free lifetime technical support.

## **Certifications, Reports and Compatibility**

## **Applications**

- Ideal for software development and QA test labs with multiple PCs and platforms connected to one console
- Single console administration of your co-location/ISP facility
- Create a streamlined access solution in your Datacenter or Server Farm
- Great for PC test/burn-in computer control saving the desk space required for multiple monitors, keyboards and mice
- Perfect for manufacturing line computer control, simplifying access to multiple systems



## Features

- Supports DVI/HDMI resolutions up to 1920x1200
- Can be used with DVI to HDMI adapters to connect HDMI based systems
- Support for most combo/wireless keyboard and mice
- OS independent No software or drivers required
- Front panel push-buttons and Hot-key functions allow for easy switching
- Auto-scan function cycles through computers sequentially
- Connects to USB-based computer systems
- USB console interfaces for keyboard and mouse

• Supports Mac and Sun keyboard mapping - Keyboard states automatically savedand restored when switching computers

• Supports Microsoft IntelliMouse(Pro)

Hardware		
	Warranty	3 Years
	U Height	1U
	Audio	No
	KVM Ports	8
	PC Interface	USB
	PC Video Type	DVI
	Number of Monitors Supported	1
	Rack-Mountable	Yes
	Cables Included	No
	Daisy-Chain	No
Performance	On Caroon Diaplay	No
	On-Screen Display	No

DVI Support Yes - Single Link



	IP Control	No
	Hot-Key Selection	Yes
	Maximum Cable Length	15.0 ft [4.6 m]
	Maximum Digital Resolutions	1920 x 1200
	Maximum Number of Users	1
	Port Selection Support	Push Button and Hotkeys
	MTBF	134000 hours
Connector(s)		
	Console Interface(s)	DVI-I (29 pin)
		USB Type-A (4 pin) USB 2.0
	Host Connectors	DVI-I (29 pin)
		USB B (4 pin)
Software	OS Compatibility	OS independent; No software or drivers required
Special Notes /	OS Compatibility	OS independent; No software or drivers required
	OS Compatibility	OS independent; No software or drivers required Supports SUN keyboard emulation
Special Notes /	Note	Supports SUN keyboard emulation
Special Notes / Requirements		
Special Notes / Requirements	Note	Supports SUN keyboard emulation
Special Notes / Requirements	Note Power Source	Supports SUN keyboard emulation AC Adapter Included
Special Notes / Requirements	Note Power Source Input Voltage	Supports SUN keyboard emulation AC Adapter Included 100 - 240 AC
Special Notes / Requirements	Note Power Source Input Voltage Input Current	Supports SUN keyboard emulation AC Adapter Included 100 - 240 AC 1.8A
Special Notes / Requirements	Note Power Source Input Voltage Input Current Output Voltage	Supports SUN keyboard emulation AC Adapter Included 100 - 240 AC 1.8A 12V DC
Special Notes / Requirements	Note Power Source Input Voltage Input Current Output Voltage Output Current	Supports SUN keyboard emulation AC Adapter Included 100 - 240 AC 1.8A 12V DC 4A
Special Notes / Requirements	Note Power Source Input Voltage Input Current Output Voltage Output Current Center Tip Polarity	Supports SUN keyboard emulation AC Adapter Included 100 - 240 AC 1.8A 12V DC 4A Positive



	Watts)	
Environmental		
	Operating Temperature	0C to 40C (32F to 104F)
	Storage Temperature	-20C to 60C (-4F to 140F)
	Humidity	0~80%RH
Physical Characteristics		
	Color	Black
	Material	Steel
	Product Length	7.1 in [18 cm]
	Product Width	17.2 in [43.8 cm]
	Product Height	1.7 in [44 mm]
	Weight of Product	5.5 lb [2.5 kg]
Packaging Information		
	Package Length	23.4 in [59.5 cm]
	Package Width	10.4 in [26.5 cm]
	Package Height	3.5 in [90 mm]
	Shipping (Package) Weight	8.3 lb [3.8 kg]
What's in the Box		
	Included in Package	8 Port DVI USB KVM Switch
		Set Rack-mount brackets
		Universal power adapter: comes ready for NA/EU/UK only when you buy in NA/EU/UK; comes ready for Australia and New Zealand only when you buy in Australia and New Zealand
		User Manual

\*Product appearance and specifications are subject to change without notice.