

Mini USB Bluetooth 2.1 Adapter - Class 1 EDR Wireless Network Adapter

Product ID: USBBT1EDR2



The USBBT1EDR2 USB to Class 1 Bluetooth Adapter with EDR is a micro-sized adapter that adds Bluetooth capabilities to a computer through an available USB port. This makes it possible to connect to devices wirelessly, at ranges up to 100m (328ft), with minimal power consumption.

The USB-Bluetooth Adapter supports the Bluetooth v2.1 specification, along with Enhanced Data Rate (EDR), for transfer rates up to 3 Mbps. The adapter uses a small form factor design that makes it conveniently portable and unobtrusive, when connected to a computer. Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications

- · Connect Bluetooth peripherals such as keyboard/mouse or smart phones to your computer system
- Reduce cable clutter by using wireless Bluetooth devices (such as keyboard/mouse) instead of traditional wired devices
- Connect peripherals wirelessly to a computer in a remote/secure location
- Connect peripherals in an industrial settings where the computer can be kept away from the work areas

Features

- Bluetooth v2.1 + EDR compliant
- Class 1 device with 100m (328ft) effective range



- Ultra-compact form factor
- Support for Enhanced Data Rate with data transfer rates up to 3 Mbps
- Power/Standby LED indicator

| Hardware | | |
|---------------------------------|-------------------------------|--|
| | Warranty | 2 Years |
| | Interface | USB 1.1 |
| | Antenna Configuration | Chip Antenna |
| | Industry Standards | Bluetooth v2.1 + EDR |
| | Chipset ID | CSR - BC0401PC08 |
| Performance | | |
| | Maximum Data Transfer Rate | 3 Mbps |
| | Frequency Range | 100m (328ft) |
| | Frequency | 2.4 GHz ISM |
| | Modulation | GFSK,p/4 DQPSK, 8DPSK |
| | MTBF | 12,000 hours |
| Connector(s) | | |
| | Connector Type(s) | USB Type-A (4 pin) USB 2.0 |
| | | Bluetooth Class 1.0 |
| Software | | |
| | OS Compatibility | Windows 2000, XP, Vista, 7, 8, 8.1, 10, 11 |
| | | Windows Server 2003, 2008 R2, 2012, 2016 |
| | | Mac OS 10.6 - 10.9 |
| Special Notes / Requirements | | |
| • | System and Cable Requirements | Available USB port |
| | | |

Indicators



| | LED Indicators | Power/Standby |
|-----------------------------|------------------------------|----------------------------|
| Power | Power Consumption (In Watts) | 1W |
| Environmental | Operating Temperature | 10C to 50C (145 to 1225) |
| | Operating Temperature | -10C to 50C (14F to 122F) |
| | Storage Temperature | -25C to 80C (-13F to 176F) |
| | Humidity | 75% RH |
| Physical Characteristics | | |
| | Color | Black |
| | Material | Plastic |
| | Product Length | 0.9 in [22 mm] |
| | Product Width | 0.6 in [15 mm] |
| | Product Height | 0.3 in [7 mm] |
| | Weight of Product | 0.0 oz [1 g] |
| Packaging Information | | |
| | Package Quantity | 1 |
| | Package Length | 6.8 in [17.2 cm] |
| | Package Width | 5.6 in [14.2 cm] |
| | Package Height | 1.3 in [33 mm] |
| | Shipping (Package) Weight | 2.6 oz [75 g] |
| What's in the Box | | |
| | Included in Package | USB to Bluetooth Adapter |
| | | Driver CD |
| | | Instruction Manual |



*Product appearance and specifications are subject to change without notice.